



Invacare® | **Bora**®

More Choice, More Style

LINX®



The *Invacare Bora* is a compact chair with a new sense of style to match an individual's lifestyle and personality. This remarkable chair boasts a powerful yet smooth driving experience with enhanced colour options for a unique look and feel. Key features include:

- Wide range of colour options
- Comfortable rear-wheel drive
- Compact design
- Simply Smart **LiNX**[®] control system



Show your personality

The **Bora** has been designed to allow the individual to customise a chair to their personal taste. Choose from an impressive range of 7 shrouds, 2 frame colours and 3 rim options, all of which sit nicely against the black non-marking tyres and front forks.

Performance and Comfort

The **Bora** has a sophisticated spring suspension system to provide outstanding outdoor appeal for a smooth drive. With a choice of two motors for driving speeds of up to 6 or 10 km/h, its enhanced 50Ah Gel battery ensures a reliable journey.

Compact design

Excellent indoor mobility is obtained due to the particularly compact dimensions of the **Bora**. When choosing smaller castors, this feature is optimised, providing a width of below 590 mm.

LiNX Smart Technology: Redefining Mobility

Invacare LiNX is our insight inspired control system with advanced technology that provides a superb driving experience and allows professionals to configure and tailor powerchairs quickly and more intuitively.

The smart control system enables programming and maintenance updates to be made wirelessly and in real time, plus it is straightforward to access statistical and diagnostic information, giving complete visibility to professionals.



Touchscreen technology

The REM400 remote has an impressive 3.5" colour touchscreen that requires minimal force to operate. Introducing modern technology to the powerchair market, this innovative and interactive remote can be configured to an individual's physical and cognitive ability.



Secondary remotes

For those with reduced hand function, **LiNX** offers a selection of secondary remotes, thereby maximising their control and independence. This includes a compact remote, a compact remote with low force operation, an extremity control joystick as a chin control and dual control options.

Features and options

USB charger

2 x USB 2.0 ports supply up to 1A each to keep devices charged. Rail mounting feature enables easy access.



LiNX G-Trac® technology

For more complex control needs, **LiNX** improves functionality, driving control and performance while **G-Trac** (optional) enhances this and ensures the directions indicated by the control are followed by the chair.



Built in Bluetooth

The REM400 remote allows individuals to be connected to 3 devices simultaneously and has mouse move functionality.

Frame colours



Shroud colours



Rim colours



Black non-marking tyres

Black non-marking tyres with black front forks give a stylish modern look.



Seat lifter

A seat lifter of 300 mm, including powered tilt function of up to 30°, maximises the use of the **Bora**. It also features lower seat to floor heights in conjunction with our Modulite™ seat system.



Different applications

Choice of two castor sizes depending on the requirements. Larger front castors offer better obstacle climbing.



One piece seat plate

Integrated arm and legrest receivers along with tension adjustable back support.

Available in a range of colours

Personalise with a choice of 7 shroud colours, 2 frame colours and 3 rim colours. Providing a total of 42 colour combinations.



Removable seat unit

Pull the strap, turn the seat and disconnect the cables to remove the seat. This makes transportation, storage and servicing refreshingly trouble-free.



Spring for suspension

The spring suspension system ensures a comfortable and stable drive, even at top speed.



Telescopic seat frame

The telescopic seat frame allows for adjustments in width from 330 to 530 mm. The **Modulite** seat rail offers stepless adjustment of the backrest, armrest and positioning accessories.

Technical data

For more comprehensive pre-sales information about this product, including the product's user manual, please visit www.invacare.co.uk

	Seat width	Seat depth	Seat height	Backrest height	Armrest height	Length of footrests	Seat angle
One piece seat plate	440 - 480 mm ¹	410 - 510 mm	450 mm ³	480 mm	275 - 340 mm	290 - 470 mm ^{3,4}	0 - 20°
Modulite™ telescopic seat	330 - 530 mm ²	410 - 510 mm	450 mm ³ / 450 - 750 mm ^{3,10}	480, 540, 560 mm ^{3,11}	245 - 310 mm	290 - 470 mm ^{3,4}	0 - 20° / 0 - 30° ¹⁰
	Backrest angle	Driving unit width	Total height	Total length inc. footrests	Total length without footrests	Total weight	Max. user weight
One piece seat plate	90° - 120°	590 / 620 mm ⁵	930 mm	1160 mm ⁶ / 1210 mm ¹⁰	820 / 840 mm ⁵	98 kg ⁹	130 kg
Modulite™ telescopic seat	90° - 120°	590 / 620 mm ⁵	970 mm	1160 mm ⁶ / 1210 mm ¹⁰	820 / 840 mm ⁵	94 kg ⁹	130 kg
	Battery capacity	Turning diameter	Max. climbing obstacle height	Max. Safe slope	Motor capacity	Driving range	Speed
	ca. 50 Ah	1600 mm / 1630 mm ¹⁰	60 mm ⁷	18% (10°)	2 x 230 W	up to 30 km ⁸	6 / 10 km/h



matrix
SEATING SERIES

Invacare Modulite™



1. Seat cushion 430 mm
2. Additional 50 mm by armrest adjustment
3. Measured without seat cushion / upholstery
4. Certain legrest lengths are restricted to a special legrest type
5. Width of wheelbase depending on castor size
6. Incl. standard legrests
7. 100 mm with kerb climber

8. According to ISO 7176-4:2008
9. Total weight is depending on configuration
10. With seat lifter or 30° COG tilt module
11. Depending on back support choice
12. Invacare **Modulite™** seat components are cross compatible across the Invacare power wheelchair range and partly with the Invacare Rea™ family.

The LiNX word, mark and logos are registered trademarks owned by Dynamic Controls and any use of such marks by Invacare is under license.

Shroud colours

Pearl Night Blue Metallic Silver Black Transparent Cherry Red Arctic White Grasshopper Green Sunshine Yellow



Don't forget, you can customise your **Bora** by using the Invacare UNIQUE service.

Frame colours

Black Arctic White White Silver Black



Rim colours

Bora - UK - 09/2017 - 1627260



Like us on Facebook:
Invacare UK



Follow us on Twitter:
@Think_Mobility



Follow us on YouTube:
Invacare Ltd - UK

Invacare Limited
Pencoed Technology Park - Pencoed
Bridgend CF35 5AQ - United Kingdom
Tel: +44 1656 776 222
Fax: +44 1656 776 220
E-mail: uk@invacare.com
Sales Order E-mail: ordersuk@invacare.com
www.invacare.co.uk

Invacare Ireland Ltd
Unit 5 - Seatown Business Campus
Seatown Road - SWORDS -
County Dublin - Ireland
Tel. +353 1 8107084
Fax +353 1 8107085
Email: Ireland@invacare.com
www.invacare.ie

Trusted Solutions,
Passionate People

